

# ADVANCED NEAR FIELD COMMUNICATION BASED HOSPITAL PATIENT APPOINTMENT SYSTEM WHICH WORKS ON ZIGBEE TECHNOLOGY

Govada Lakshman Chandra <sup>1</sup>, Dr. K. Hemachandran<sup>2</sup>,  
H.Raghupathi (HOD)<sup>3</sup>,

<sup>1</sup>Pursuing M.Tech (ES), <sup>2</sup>Professor, <sup>3</sup>Assistant Professor

<sup>1,2,3</sup>Visvesvaraya College of Engineering and Technology

Patelguda, Ibrahimpatnam, RangaReddy Dist. Telangana ,( India)

## ABSTRACT

Doctor Appointment and remedy scheduling is essential to control and additionally to keep music of day after day functionalities in medical quarter. So with a view to have a properly appointment scheduling device helps us to supply medication in time and convenient get admission to to scientific provider which enhance affected person pride and doctor's performance .In most emergency case the patient rush to the clinic and has to go registration manner which is too prolonged, someday it's additionally viable to get date for the consulting form health practitioner's. Thus to triumph over this trouble an try has been done via growing an mobile application and making the medication facility on-line .Even after this plenty oppositions to the sufferers still there exist the vicinity of awaiting medicinal drug shipping so to enhance the medicine transport facility (NFC SYSTEM )was advanced it is referred to as as Near Field Communication device . In the NFC System the affected person only want to tapped the NFC appointment card at appointment Kiosk in health center or health center for making an appointment.

**Keywords:** -ARM 7 (lpc2148), ZIGBEE, Bluetooth, LCDDisplay (16x2).

## INTRODUCTION

The primary purpose at the back of this undertaking is to develop a gadget wherein the patient will get a entire time delivery of medication and might restore appointment in step with his time time table. Before presenting of this device the affected person has to anticipate remedy for long time or even has too face issues concerning to appointment fixing. Most of the time in causality cases the affected person's relative has too fill registration shape and then handiest the patient changed into attained with the aid of the medical doctor's .Thus now by the use of this undertaking idea the affected person no greater need to watch for long term and must undergo lengthy registration technique.

## II.LITERATURE REVIEW

### 2.1. Existing System

Today the medication and appointment gadget is based on first come first serve bases this technique works fine if the no of the sufferers are less. But as more affected person need to get and appointment in line with their handy, the above approach falls brief and results in unsuitable medication shipping to emergency sufferers. Even in case of road accidents the patient has to fill the registration shape that's extraordinarily inconvenient and painful for the patient.


### 2.2. Proposed System

To triumph over the prevailing gadget troubles the (Near Field Communication System) NFCS Was developed in this device the database of the patient needs to be loaded and according to the concern of the affected person, (precedence depends on age and the hassle thru which the affected person suffer via) a device would call to the concerned affected person on the way to restoration the following appointment. In this device the patient can restoration his /her appointment thru net, also the sensor community that is linked to his whole frame will provide the every day health checkup report to the nearby medical institution

### 2.3.Block Diagram

fig 1


Appointment Approval Notification



The above block diagram indicates the glide of the NFC gadget wherein the patient question comes via the sensor i.E. Coronary heart beat sensor or via zigbee module and that records is given via the GSM module in form of SMS to the physician or to the NFC device .


FIG 2:-

Mobile Bluetooth Main Control System:-



The block diagram proven above is the flow diagram of the worried task. In which the Bluetooth in the cell communicates through Bluetooth module related to the relevant gadget which constitute of Arm Processor (LPC2148).


The LPC2148 microprocessor belongs to ARM 7 own family. The LPC2148 board is a 32 bit ARM7TDMI-S microprocessor with real-time emulation. It consist of eight kilobyte to forty kilobyte of on chip static RAM and 32kb to 512kB of on chip flash reminiscence, the micro processor works with 12 MHz crystal frequency .The processor also support distinctive protocols suite consisting of ISP (In System Programming),10 bit ADC affords variable analogue output , 32-bit timers with external event counter (with four seize and suit channels ).The processor additionally has RTC in-built hence extra hardware for the timer is not required.Lpc2148 has 2 serial terminals that is called as UART0 and UART1.The same controller also has SPI and I2C bus with a speed of (400kbit/s).



**Fig.3** Arm Processor (lpc2148) Development Board.

The Arm LPC2148 Board also supports VGA, and SD/MMC card's those modules' are inbuilt in arm processor. The board also helps AUDIO –MP3 format, additionally a PS2 connection are also possible thru which we will join PS2 keyboard. Thus the usage of arm 32 bit processor can deal with more application than traditional 8051 8 bit controller.

#### 2.4. About Bluetooth Module



**Fig.4**Bluetooth (nRF51822) Development Module.

The module shown inside the fig four is of Bluetooth which has very own GPIO'S port. The identical module is primarily based on Nrf51822 –the multiprotocol Bluetooth four.0 low power 2.4 GHz wireless software. Through this module the principle device get connected to the query which comes from the patient at once

### 2.5. About zigbee module:



Fig .5 ZIGBEES2 Developmentmodules.

The module proven in the fig five is ZIGBEE S2 Development module wherein the module can get interface with lpc2148 microprocessor. In the entire task 4 Xbee modules are used the alternative 3 modules are connected to PC for unique branch in an health center which include Nurse can get the appointment listing of the patient's on which date the patient desires to come . And same data may be handing over to the physician. In the same challenge there are priorities assign. Where nurse could get the simplest the information this is required, medical doctor can broadcast the message to his patient.

### Liquid Crystal Display:

A sixteenx2 fluid treasured stone alphanumeric show off means that it's going to display sixteen characters for every line and there are a couple of such traces. Amid this LCD every person is shown in 5x7 element grid. This LCD has 2 registers, to be precise, Command and statistics register i.E. Information sign in. The order sign up shops the rate headings given to the LCD. A summon is associate degree course given to LCD to try and do a predefined undertaking like introducing it, clearing its screen, putting the marker function, winning show and so forth the statistics sign up stores the information to be proven on the LCD. The records is that the ASCII really worth of the character to be proven on the LCD.




Fig 3 :16x2 lcd display

### **III. SOFTWARE DESIGN**

In this proposed project, we are using LPC2148 microprocessor and need to use the following software equipment to program for it.

1. Keil  $\mu$  vision 4.

2 Flash Programmer.

The Keil micro Vision is an IDE Embedded c Programming Language. In this IDE, we need to import all the utilities and libraries in accordance of the controller. This IDE could be very less tough and is person pleasant manner to use. It includes all of the C/C++ compilers, assemblers and debuggers in it. Here we need to generate a hex record to run the processor. The hex document includes best binary numbers which is dumped in to the microprocessor.


The flash magic is the programming software. The C/C++ software is written in IDE may be processed into Hex documented i.E. Hex report. By using the identical hex record into the microcontroller and perform the undertaking with software.

### **IV. COMPLETE WORKING DESCRIPTION**

In this project an cell app has advanced in which the person can repair the date for the appointment and get medication consulting from the health practitioner .The complete question list is ship to the principle machine thru Bluetooth. At the principle gadget quit the question listing is up to date and relying upon the privileged precedence of the message the message is send to the involved character. The privileged priority listing is up to date by means of the affected person via a few choice inside the cellular app through simply selecting to whom he desires to ship the message, For example message can be ship to nurse with a view to fix appointment and to hold appointment file. Also the patient can at once get linked to his concerned physician for consulting purpose. Even he will have medicine consulting form the medical doctor in which the prescription may be directly transfer to the drugstore save.

### **V. RESULT**

Thus the entire project is a prototype for the product primarily based system. In this device an attempted is made to make the machine whole computerized and most trying to limit the verbal exchange gap between health practitioner, health center and pharmacy. The consumer must experience complete pleasant gadget and easy to use with less interconnection in the cellular app.



## VI. CONCLUSION

The similarly development can be done inside the mission is that the entire undertaking can be uploaded on net wherein in emergency situations the patient can without delay worried with the nearby physician not simplest the physician he concerned often . Thus improving this assignment extra exactly the person could have returned assist when he is going out on huge tours. Because from his cellular he is connected to his physician and take health practitioner suggest in harsh conditions.

REFERENCES

- [1.] Ahonen, T., Virrankoski, R., Elmusrati, M. (2008). Greenhouse Monitoring with Wireless Sensor Network. Proceeding of Mechtronic and Embedded Systems and Applications, 2008. MESA 2008. IEEE/ASME International Conference, pp. 403-408.
- [2.] BeomJin, K., DaeHeon, P., KyungRyung, C., ChangSun, S., SungEon, C., JangWoo, P. (2008). Proceeding of Security Technology, 2008. SECTECH '08, pp. 41-44.
- [3.] S.Othman. Journal of Scientific Research, Vol.33, No.2, pp. 249-260, 2009.
- [4.] 12. Gupta, D. & Denton, B. (2007). Appointment scheduling in healthcare: Challenges and opportunities. IIE Transactions, 40,800-819 doi: 10.1080/07408170802165880.
- [5.] 13. Handschuh, H., (2004). Contactless Technology Security Issues, Information Security Bulletin, 9, 95-100.
- [6.] Goldsmith, J. (2000). How will the Internet Change Our Health System? Health Affairs, 19(1).
- [7.] Wenjun, C., et al (2011). A web-based appointment system to reduce waiting for outpatients: Aretrospective Study. BMC Health Services Research, 11:31
- [8.] doi: 10.1186/1472-6963-11-318 8. Editor, Syed A.A. & Ilyas, M. (Eds.). (2011) Near Field Communications Handbook. Washington, DC: Auerbach Publications
- [9.] Biggs, P. (2012). Emerging Issues for our Hyper connected World. In S. Dutta (Ed.), Living in a Hyperconnected world (pp. 47-56). Geneva, Switzerland: SRO-Kundig.
- [10.] Fetter, R. B., & Thompson, J. D. (1996). Patients' Waiting Time and Doctors' Idle Time in the Outpatient Setting. Health Service Research, 1(1): 66-90. DOI: PMC1067302.

AUTHOR DETAILS:

	<p><b>GOVADA LAKSHMAN CHANDRA</b> Pursuing M.Tech (ES) from, visvesvaraya college of engineering and technology, Patalguda, Ibrahimpatnam, Rangareddy dist, Telangana,INDIA.</p>
	<p><b>Dr.K. HEMACHANDRAN</b> working as professor, from visvesvaraya college of engineering and technology, patalguda, Ibrahimpatnam, Rangareddy dist, Telangana,INDIA.</p>



**H.RAGHUPATHI (HOD)**, working as assistant Professor from Visvesvaraya College Of Engineering And Technology, Patalguda, Ibrahimpatnam, RangaReddy dist, Telangana, INDIA.